


CUSTOM DESIGNED FOR  
TURNERS FALLS  
176" BODY 75" HR

BY  
P.L. CUSTOM  
EMERGENCY VEHICLES

- A5309

PAGE 1



**"NOTICE"**  
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, without the written consent of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.

WHELEN M9 FLASHING LIGHTS


WHELEN M6 SERIES DIRECTIONALS

O.E.M. MIRRORS

WHELEN ION LIGHTS

MARKER LIGHTS

OPTICOM EMITTER




"C" CHANNEL RUB RAILS

CPI SAD/SAP-3806 SIREN SPEAKERS


**EXTERIOR DIMENSIONS**

HEIGHT 115" (+/-2)  
LENGTH 175"  
WIDTH 99"

FRONT VIEW




**NOTICE**  
 This drawing and data thereon shall not be duplicated, used or distributed in any form without the written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.




- NOTES:
- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.
  - 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

**EXTERIOR DIMENSIONS**  
 HEIGHT 115" (+/-2)  
 LENGTH 175"  
 WIDTH 99"

OPENING DESCRIPTIONS				
ALL DIMENSIONS APPROXIMATE				
	WIDTH	HEIGHT	DEPTH	PURPOSE
(A)	20	86	21	OXYGEN STORAGE
(B)	43 3/8	42	20	EXTERIOR STORAGE
(C)	31	39	20	EXTERIOR STORAGE



**NOTICE**  
 This drawing and data thereon shall not be duplicated, used or disclosed to others for any purpose without the written permission of PLC CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



- NOTES:**
- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.


**EXTERIOR DIMENSIONS**

HEIGHT 115" (+/-2)  
 LENGTH 175"  
 WIDTH 99"

OPENING DESCRIPTIONS				
ALL DIMENSIONS APPROXIMATE				
	WIDTH	HEIGHT	DEPTH	PURPOSE
(D)	20	55	33" ABOVE FLOOR 20" BELOW FLOOR	INTERIOR/EXTERIOR ACCESS STORAGE
(E)	24 1/2	83	21	BACKBOARD STORAGE
	29	80		SIDE ENTRANCE DOOR



**NOTICE**  
 This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, purchase order or agreement with PL CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.




**"NOTICE"**  
 This drawing and data thereon shall not be reproduced, used or disclosed to others for procurement or manufacturing purposes without the written consent of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.

- NOTES:**
- 1) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL THICKNESS PRESENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 5) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

REAR VIEW

OPENING DESCRIPTIONS			
ALL DIMENSIONS APPROXIMATE			
WIDTH	HEIGHT	DEPTH	PURPOSE
44 1/4	61		REAR ENTRANCE DOORS




FLOOR PLAN

- NOTES:**
- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



**NOTICE**  
 This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract. PL Custom, a division of PL Custom Body & Equipment Co., Inc. reserves the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



**INTERIOR DIMENSIONS**  
 HEIGHT 75"  
 LENGTH 165"  
 WIDTH 90-3/4"

**NOTES:**



- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

**PL CUSTOM**

**FRONT VIEW**

PAGE 7

**NOTICE**  
 This drawing and data therein shall not be duplicated, used, or disseminated to others for manufacturing or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.




"NOTICE"  
 The drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.

REAR VIEW

- NOTES:
- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.






CEILING VIEW

- NOTES:
- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
  - 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
  - 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
  - 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



"NOTICE"  
 This drawing and data thereon shall not be applied, used or manufactured for any purpose, except as otherwise authorized by contract, without the written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



**NOTES:**

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.


STREETSIDE VIEW

**INTERIOR  
DIMENSIONS**

**HEIGHT 75"  
LENGTH 165"  
WIDTH 90-3/4"**



**"NOTICE"**  
This drawing and data thereon shall not be duplicated, used or disclosed to others for purposes other than those authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



CURBSIDE VIEW

**NOTES:**

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



**NOTICE**  
 This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract. ALCUSTOM, INC. 11111 L. L. CUSTON BODY & EQUIPMENT CO. INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.

**INTERIOR DIMENSIONS**  
 HEIGHT 75"  
 LENGTH 165"  
 WIDTH 90-3/4"

JOB NO. 4231

PL CUSTOM EMERGENCY VEHICLES- RESCUE 1  
IN PROCESS CHANGE ORDER

A

CUSTOMER: TURNERS FALLS

	TYPE	QW LINE	CHANGE DESCRIPTION	QTY	PRICE EACH	CREDIT/DEBIT
1	Clarify	13-60-V027	PLASTIC FLOOR LINING TO BE IN COMPL 'E' FORWARD OF DIVIDER	1	\$0.00	\$0.00
2	Add	15-15-1000	TRUCK TO HAVE FRONT BODY DIAMOND PLATE STONE GUARD	1	\$0.00	\$0.00
3	Clarify	21-40-1500	ELECTRICAL PANELS WILL BE POLY FINISH, NOT VINYL WRAPPED	1	\$0.00	\$0.00
4	Clarify	22-20-0100	BACKREST CUSHIONS BOTH SIDES WILL BE 2 PIECE FOR USE WITH 6PT SEATBELTS	1	\$0.00	\$0.00
5	Clarify	22-00-2800	SQUAD BENCH WILL BE 2/3 LENGTH WITH FORWARD MIM CABINET ONLY	1	\$0.00	\$0.00
6	Delete	23-42-1500	DELETE SOLID SURFACE COUNTER TOP FOR LEFT REAR - NA	1	(\$357.00)	(\$357.00)
7	Clarify	COVER	ANTENNAS WILL NOT BE MOUNTED ON BODY ROOF. THEY WILL BE COILED UP UNDER DOME LIGHTS AS SPECIFIED IN QW	1	\$0.00	\$0.00
8	Delete	43-T5-1932	WHEEL WELL LIGHTS WITH COLOR LENSES	1	\$0.00	\$0.00
9	Add	43-T5-1930	M7 WHEEL WELL LIGHTS WITH CLEAR LENSES	1	\$0.00	\$0.00
10	Clarify	47-50-1P40	USB IN SINGLE GANG TO BE LOCATED ON THE LSS WALL	1	\$0.00	\$0.00

PROCESSING FEE: \$100.00

TOTAL: (\$257.00)

PRICING IS VALID FOR 2 BUSINESS DAYS ONLY.

APPROVED SIGNATURE Dave Bunnell 11/8/21

\*Changes listed on this document that affect FMVSS or QVM may be denied once reviewed by engineering.

DATE: 11/8/21 WRITTEN BY: LISA

FORM MUST BE RETURNED WITHIN 2 BUSINESS DAYS. PL FAX NUMBER 1-732-223-8456