


FREIGHTLINER 114SD ~ 450HP @ 1250 FT.LBS. 3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

ATTENTION:
THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT
TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART
WITHOUT THE EXPRESSED, WRITTEN CONSENT OF FIROVAC AND IS SUBJECT
TO RETURN UPON REQUEST.






FREIGHTLINER 114SD ~ 450HP @ 1250 FT.LBS. 3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

ATTENTION:
THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT
TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART
WITHOUT THE EXPRESSED, WRITTEN CONSENT OF FIROVAC AND IS SUBJECT
TO RETURN UPON REQUEST.



## 66"DIA x 192"L TANK



3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESSED. WRITTEN CONSENT OF FIROVAC AND IS SUBJECT. TO RETURN UPON REQUEST

NEW ENGLAND FIRE EQ. DEMO UNIT **REAR VIEW** 

**PDF** NEW ENGLAND DEMO #2 3000 HAWK.dwg


REV.

NTS

TIMOTHY GRIFFIN

Oct 12, 2023

## 66"DIA x 192"L TANK



FREIGHTLINER 114SD ~ 450HP @ 1250 FT.LBS. 3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESSED, WRITTEN CONSENT OF FIROVAC AND IS SUBJECT TO RETURN UPON REQUEST



**PDF** REV.


NEW\_ENGLAND\_DEMO\_#2\_3000\_HAWK.dwg

Oct 12, 2023

NTS

**TIMOTHY GRIFFIN** 

## NOTE: ALL DOOR OPENINGS AND COMPARTMENT SIZES ARE CLOSE APPROXIMATIONS AND ARE SUBJECT TO VARY SLIGHTLY DURING CONSTRUCTION



USABLE STORAGE ON DRIVERS SIDE (LEFT SIDE) = 34.6 CU.FT.

USABLE STORAGE ON PASSENGERS SIDE (RIGHT SIDE) = 40.5 CU.FT.

USABLE STORAGE IN REAR = 0.0 CU.FT.

USABLE TOTAL STORAGE IN TRUCK = 75.1 CU.FT.

FREIGHTLINER 114SD ~ 450HP @ 1250 FT.LBS. 3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

ATTENTION:

THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESSED, WRITTEN CONSENT OF FIROVAC AND IS SUBJECT TO RETURN UPON REQUEST.



NEW ENGLAND FIRE EQ. DEMO UNIT LEFT SIDE COMPT. SPACE

PDF N

NEW\_ENGLAND\_DEMO\_#2\_3000\_HAWK.dwg


Oct 12, 2023

REV.

SCALE NTS

TIMOTHY GRIFFIN

## NOTE: ALL DOOR OPENINGS AND COMPARTMENT SIZES ARE CLOSE APPROXIMATIONS AND ARE SUBJECT TO VARY SLIGHTLY DURING CONSTRUCTION



USABLE STORAGE ON DRIVERS SIDE (LEFT SIDE) = 34.6 CU.FT.

USABLE STORAGE ON PASSENGERS SIDE (RIGHT SIDE) = 40.5 CU.FT.

USABLE STORAGE IN REAR = 0.0 CU.FT.

USABLE TOTAL STORAGE IN TRUCK = 75.1 CU.FT.

FREIGHTLINER 114SD ~ 450HP @ 1250 FT.LBS. 3000 GAL. POLISHED ALUM. TANK ALUM. HAWK BODY Q.P. 1250 G.P.M. (CERT.) WATEROUS CXSK

ATTENTION:
THIS DOCUMENT AND THE DATA ENCLOSED HEREIN AND HEREEITH IS NOT
TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART
WITHOUT THE EXPRESSED, WRITTEN CONSENT OF FIROVAC AND IS SUBJECT
TO RETURN UPON REQUEST.



NEW ENGLAND FIRE EQ. DEMO UNIT RIGHT SIDE COMPT. SPACE

PDF

NEW\_ENGLAND\_DEMO\_#2\_3000\_HAWK.dwg

2\_3000\_HAWK.dwg Oct 12, 2023

REV.

ALE NTS

TIMOTHY GRIFFIN